Table O-1c. Average Monthly Habitat Conditions for Rush, Lee Vining, Parker, and Walker Creeks under Wet, Normal, and Dry Hydrologic Year-Type Conditions for the 6,372-Ft Alternative (Based on Tennant Method)

Creek	Hydrologic Condition	April	May	June	July	August	September	October	November	December	January	February	March	Mean
Rush	Wet	2	4	5	3	2	2	4.5	4	4	4	4	3	3.5
	Normal	2	4	5	3	2	2	4.5	4	4	4	4	3	3.5
	Dry	2	4	5	3	2	2	4.5	4	4	4	4	3	3.5
Lee Vining	Wet	2	4	4	5	3	1	3	3	3	3	3	3	3.1
	Normal	2	4	4	5	3	1	3	3	3	3	3	3	3.1
	Dry	2	4	4	5	3	1	3	3	3	3	3	3	3.1
Parker	Wet	2	4	3	4	5	3	4	3	3	3	3	3	3.3
	Normal	2	4	3	4	5	3	4	3	3	3	3	3	3.3
	Dry	2	4	3	4	5	3	4	3	3	3	3	3	3.3
Walker	Wet	1	2	4	5	3	1	4	4	4	3	3	3	3.1
	Normal	1	2	4	5	3	1	4	4	4	3	3	3	3.1
	Dry	1	2	4	5	3	1	4	4	4	3	3	3	3.1

Habitat conditions are as follows:

5 = optimum.
4.5 = outstanding.
4 = excellent.
3 = good.
2 = fair.
1 = poor.
0 = severe degradation.