

Table P-16. Stream Stage-Discharge Factors Used in the Groundwater Model

| Reach | Flow at Time of Mapping (cfs) | Low Flow (cfs) | Evaluation Flows | | |
|---------------------------|-------------------------------------|----------------------|----------------------------|-----------------------|----------------------------|
| | | | Stage ^a (ft) | High Flow (cfs) | Stage ^a (ft) |
| Parker Creek | | | | | |
| Middle reach ^b | 4.5 | 9 | +0.23 | 26 | +0.84 |
| Upper and lower reaches | 4.5 | 9 | +0.21 | 26 | +0.71 |
| Walker Creek | | | | | |
| Upper reach ^c | 2.75 | 4 | +0.07 | 10.6 | +0.32 |
| Lower reach | 2.75 | 4 | +0.10 | 10.6 | +0.44 |
| Rush Creek | | | | | |
| Most | 24 | 19 | -0.05 | 106 | +0.62 |
| Lower bottomlands | 24 | 19 | -0.05 | 106 | +0.74 |
| Lee Vining Creek | | | | | |
| Below U.S. 395 | 29.9 | 5 | -0.43 | 85 | +0.39 |

^a Stage above or below stage during aerial photography for contour mapping.

^b 6,990-foot elevation to 6,874-foot elevation.

^c Diversion to 6,874-foot elevation.